



## *SARS-CoV-2 transmission and the emergence of new variants*

**Raul Andino, Prof.**

Department of Microbiology and Immunology, University of California, San Francisco, San Francisco, CA 94158, USA

As SARS-CoV-2 has evolved from ancestral lineages to variants of concern (VOC) it remains unclear how some mutations and evolutionary patterns lead to novel phenotypes. Several hypotheses may have been put forth to explain VOC evolution, including changes in viral replication rates at the port of entry and egress, binding affinity to and location of ACE2 receptors, natural and vaccine-induced immune escape, and the ability of the variants to overcome innate immune responses. We have established a household transmission cohort to understand SARS-CoV-2 transmission. This creates an opportunity to examine the evolution of SARS-CoV-2 using a collection of samples gathered over a period of three years. To link epidemiological data with a better mechanistic understanding of virus transmission, we developed a model system using air-liquid interface (ALI) cultured primary nasal epithelial cells (HNE). We discovered that the virus uses motile cilia, microvilli, and mucociliary-dependent mucus flow as critical for virus replication efficient in nasal epithelia. Our studies revealed that Omicron variants have evolved to replicate faster nasal epithelia. The overall goal is validate and optimize mathematical and tissue culture models to elucidate the molecular determinants of SARS-CoV-2 transmission and anticipate the emergence of new variants of concern, which underpin our ability to develop next-generation preventive and therapeutic strategies.

3 p.m.

July 19<sup>th</sup>, 2023

Location: Small Patho course room, Bünteweg 17  
The talk will also be transmitted via [MS Teams](#) (please click)

Contact: [gisa.gerold@tiho-hannover.de](mailto:gisa.gerold@tiho-hannover.de)